

SIBAX[®]

CONSTRUCTION CHEMICALS

PRODUCT CATALOGUE 2025



Wherever
You Need



ABOUT US

Siba was established in 2004 in order to serve in the industries of construction, hardware-fittings, furniture and automotive with it's environmentally-friendly and high technology isolation, insulation and adhesive products.

Our management policy; is to create a RELIABLE integrated management system based on the conditions of quality, environment, occupational health and safety management systems and aiming to strengthen the perception of the company. To oer our wide product range to our customers with high quality, to be a reliable company that fully meets the needs of our customers by using up-to-date and developing technology, to be close to the customer and to maintain customer satisfaction with our sales - marketing network. To add value to our customers with the understanding of delivery to the door, to keep our work enthusiasm at the highest level as a team, to be open to continuous development, to produce in accordance with the relevant standards, regulations and customer demands and the expectations of all relevant parties.



OUR FACILITIES

Operating in an outdoor location of 150.000 m² and an indoor location of 47.500 m² in the Organized Industrial Zone, Gümüşova, Düzce, Siba Chemistry manufactures and sells PU. FOAMS, SILICONES, PU. and HYBRID SEALANTS, ADHESIVES, ACRYLIC and SILICONE SEALANTS, SPRAY PAINTS, INDUSTRIAL SPRAYS in a wide range of products with its R&D, production, sales & marketing and management personnel each specialized in their respective fields using the state-of-the-art technology machines and equipment.

Siba is the first integrated facility in the world that is capable of manufacturing its own plastic cartridges using the IML technology.

Siba possesses all the required quality certifications. Adopting an understanding of continuously making investments to meet the requirements of customers in a fast and complete manner providing high quality precision during all the stages of the production, Siba Chemistry serves you, our esteemed customers, with private brands and its own registered brand: Sibax.







SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM

SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM

SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM

SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM

SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM

SIBAX[®]
POLIURETAN KÖPÜK
POLYURETHANE FOAM



SIBAX®

POLYURETHANE FOAMS

POLYURETHANE FOAMS PRODUCT GROUP



- Polyurethane Filling Foam
- Polyurethane Maxi High Yield Foam
- Polyurethane Mega High Yield Gun Foam
- Polyurethane Fixing Foam
- Polyurethane Fire Rated B2 Foam
- Polyurethane Fire Rated B1 Foam
- Polyurethane Door Window Foam
- Polyurethane Gun Foam
- Polyurethane Re-Usable Foam
- Polyurethane Thermal And Acoustic Insulation Foam
- Polyurethane Bonding Foam
- Polyurethane Flexible Gun Foam
- Polyurethane Adhesive Foam
- Polyurethane Foam Cleaner



NS¹³ POLYURETHANE FILLING FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
300 ml	12	140

NS⁵⁵ POLYURETHANE FILLING FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 ml	12	120

DESCRIPTION

Polyurethane based, one-component aerosol foam used for filling of gaps in building construction.



NS⁶⁶ POLYURETHANE FILLING FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
600 gr	16	96

DESCRIPTION

Polyurethane based, one-component aerosol foam used for filling of gaps in building construction.



NS⁷⁰ POLYURETHANE MAXI HIGH YIELD FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
1000 gr	12	120

DESCRIPTION

High yield and low expansion PU foam formulated for fixing door and window frames.



NS⁷² POLYURETHANE MEGA HIGH YIELD GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
1000 gr	12	120

NS^{72W} POLYURETHANE MEGA HIGH YIELD GUN FOAM WINTER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
1000 gr	12	120

DESCRIPTION

Gun-grade PU foam formulated for maximum yield in filling and insulating of gaps, cracks and openings in buildings.

NS⁷⁷ POLYURETHANE FIXING FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	16	96

DESCRIPTION

Polyurethane based, one-component aerosol foam used for filling of gaps in building construction.



NS⁸⁰ POLYURETHANE FIRE RATED B2 FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

Limited resistance to fire; self-extinguishing when away from the flame source; B2 class polyurethane foam in accordance with DIN EN 4102 standards.



NS⁸² POLYURETHANE FIRE RATED B1 FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
900 gr	12	120

NS^{82T} POLYURETHANE FIRE RATED B1 GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
900 gr	12	120

DESCRIPTION

One component aerosol polyurethane filling and fixing foam with resistance to fire. The product has fire resistance certificate of Turkish Standards Institute.



NS⁸⁴ POLYURETHANE DOOR WINDOW FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

NS^{84T} POLYURETHANE DOOR WINDOW GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

Formulated for the installation of interior and exterior doors, has strong adhesion and high strength; controlled growing, polyurethane based aerosol mounting foam.





NS^{84W} POLYURETHANE DOOR WINDOW FOAM WINTER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

NS^{84TW} POLYURETHANE DOOR WINDOW GUN FOAM WINTER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

It is a filling and fixing polyurethane foam which shows high-performance in low-temperature and low-humidity environments.

NS⁸⁸ POLYURETHANE GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	16	96

DESCRIPTION

High efficiency polyurethane foam for professional users, which can be easily used with the application gun.

NS⁹⁰ POLYURETHANE RE-USABLE FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

Polyurethane foam with a patented safety valve that enables using several times with high efficiency after first opening.

NS⁹⁴ POLYURETHANE THERMAL AND ACOUSTIC INSULATION FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

NS^{94T} POLYURETHANE THERMAL AND ACOUSTIC INSULATION GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

One-component, polyurethane-based thermal and sound insulation foam applied by spraying method.

NS⁹⁶ POLYURETHANE BONDING FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

NS^{96T} POLYURETHANE BONDING GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

Polyurethane based, bonding foam which has fast initial tack and strong adhesion on construction materials.



NS^{98T} POLYURETANE FLEXIBLE GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
750 ml	12	120

DESCRIPTION

Single component professional flexible thermal and sound insulation foam. Perfect adhesion and mechanical properties.



NS⁹⁹ POLYURETHANE ADHESIVE FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
900 gr	12	120

NS^{99T} POLYURETHANE ADHESIVE GUN FOAM

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
900 gr	12	120

DESCRIPTION

Adhesive polyurethane foam applied for bonding insulation boards onto building facades.



NS²² POLYURETHANE FOAM CLEANER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 ml	12	120

DESCRIPTION

Solvent based aerosol foam cleaner. It helps to clean foam guns and pu foams that have not yet fully dried.



GUN FOAM

QTY/BOX
1



SIBAX®

SILICONE SEALANTS

SILICONE SEALANT PRODUCT GROUP



- Sanitary Silicone Sealant
- Neutral Sanitary Silicone Sealant
- Insulating Glass Silicone Sealant
- Neutral Mirror Silicone Sealant
- Aquarium Silicone Sealant
- Neutral Construction And Facade Silicone Sealant
- Neutral Marble Silicone Sealant

- Neutral Epdm Membrane Silicone Sealant
- Universal Silicone Sealant
- Neutral Fire Rated B1 Silicone Sealant
- Neutral Gasket Maker Silicone Sealant (Rtv)
- Acetoxy Gasket Maker Silicone Sealant (Rtv)
- Autoglass Adhesive

LS¹⁰ SANITARY SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	Transparent, White	24	100
280 ml	Transparent, White	24	100

DESCRIPTION

High quality, single component, 100% acetoxy silicone that can be used in wet areas such as shower cabins, bathrooms and kitchens for sealing and filling.



LS¹⁴ NEUTRAL SANITARY SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
300 ml	Transparent, White	24	100

DESCRIPTION

High quality, neutral cured, 100% silicone with excellent adhesion and improved resistance against mildew for use in sanitary applications.



LS¹⁸ INSULATING GLASS SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	Black	20	60

DESCRIPTION

High quality, single component, elastomeric, neutral curing silicone sealant specifically developed for IG unit manufacturing.



LS²² NEUTRAL MIRROR SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Transparent	24	100

DESCRIPTION

Single component, fast curing, high quality, neutral, 100% silicone sealant designed for mirror bonding applications.





LS³⁰ AQUARIUM SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Transparent, White	24	100

DESCRIPTION

High-performance silicone adhesive sealant formulated for bonding and sealing applications on glass substrates.



LS³¹ NEUTRAL CONSTRUCTION AND FACADE SILICONE SEALANT

CE

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	Black, White, Grey, Anthracite	20	60
600 ml	*Other Colors	20	60

DESCRIPTION

High quality, weatherproof, flexible neutral silicone used in building and construction joints, indoor and outdoor applications.



LS³² NEUTRAL CONSTRUCTION AND FACADE SILICONE SEALANT

CE

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
300 ml	Black, White, Grey, Anthracite	24	100
300 ml	Transparent	24	100
300 ml	*Other Colors	24	100

DESCRIPTION

High quality, weatherproof, flexible neutral silicone used in building and construction joints, indoor and outdoor applications.



LS⁵² NEUTRAL MARBLE SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	*All Colors	24	100

DESCRIPTION

Neutral cure, plasticizer-free silicone sealant which does not leave stains on natural stone substrates as marble and granite.

LS⁶² NEUTRAL EPDM MEMBRANE SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	Black	20	60

DESCRIPTION

One component, elastic neutral cured silicone adhesive for bonding EPDM membranes.



LS⁶⁶ UNIVERSAL SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 gr	Transparent, White	30	112
280 gr	Black, Brown, Grey, Anthracite	30	112
280 gr	*Other Colors	30	112

DESCRIPTION

One-component silicone sealant, providing a strong adhesion for common building materials like ceramic, aluminum and glass.



LS⁷² NEUTRAL FIRE RATED B1 SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	White	24	100

DESCRIPTION

High quality, single component, neutral silicone that combines fire resistance with high movement capability. It has fire resistance certificate of Turkish Standards Institute.



LS⁷⁷ UNIVERSAL SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Transparent, White	30	112
280 ml	*Other Colors	30	112

DESCRIPTION

One-component silicone sealant, providing a strong adhesion for common building materials like ceramic, aluminum and glass. Used for sealing and glazing applications.





LS⁷⁸ UNIVERSAL SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	Transparent, White	20	60
600 ml	*Other Colors	20	60

DESCRIPTION

One-component silicone sealant, providing a strong adhesion for common building materials like ceramic, aluminum and glass. Used for sealing and glazing applications.



LS⁸⁸ UNIVERSAL SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	Transparent, White	30	112
310 ml	*Other Colors	30	112

DESCRIPTION

One-component silicone sealant, providing a strong adhesion for common building materials like ceramic, aluminum and glass. Used for sealing and glazing applications.



LS⁸⁹ NEUTRAL GASKET MAKER SILICONE SEALANT (RTV)

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	*All Colors	24	100

DESCRIPTION

High performance, neutral cured 100% silicone sealant without solvent additives. Gasket maker which retains its flexibility in temperatures up to 300°C.



LS⁹⁹ ACETOXY GASKET MAKER SILICONE SEALANT (RTV)

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Red, Black	24	100

DESCRIPTION

High performance, acetoxy curing silicone gasket maker which retains its flexibility in temperatures up to 300°C.

WS⁵⁵ AUTOGLASS ADHESIVE

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Black	24	120

WS⁶⁰ AUTOGLASS ADHESIVE

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	Black	20	60

DESCRIPTION

Isocyanate-free neutral auto glass assembly adhesive that can be applied without a primer. After application, it reacts with moisture in the air and forms high modulus silicone rubber within hours.



LS⁶⁵ UNIVERSAL SILICONE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
40 ml (Boxed)	Transparent, White	36	147
40 ml (Blister)	Transparent, White	36	147

DESCRIPTION

One-component silicone sealant, providing a strong adhesion for common building materials like ceramic, aluminum and glass. Used for sealing and glazing applications.



LS⁸⁷ NEUTRAL GASKET MAKER SILICONE SEALANT (RTV)

LIQUID GASKET

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
80 ml (Blister)	Black, Grey, Red	36	120

DESCRIPTION

High performance, neutral cured 100% silicone sealant without solvent additives. Gasket maker which retains its flexibility in temperatures up to 300°C.



LS⁹⁸ ACETOXY GASKET MAKER SILICONE SEALANT (RTV)

LIQUID GASKET

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
50 ml (Boxed)	Red, Black	36	147

DESCRIPTION

High performance, acetoxy cure silicone gasket maker which retains its flexibility in temperatures up to 300°C.



SIBAX®

POLYURETHANE SEALANTS

POLYURETHANE SEALANT PRODUCT GROUP



Automotive
Construction

POLYURETHANE SEALANTS

SB⁹⁰ ULTRA POLYURETHANE SEALANT

CE



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	White, Black, Grey, Red, Anthracite	25	100
280 ml	*Other Colors	25	100

DESCRIPTION

Single component, polyurethane based, fast-curing, high modulus (HM) sealant and adhesive. Developed for sealing and bonding applications thanks to its high quality.

SB⁹¹ ULTRA POLYURETHANE SEALANT

CE



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	White, Black, Grey	20	60
600 ml	*Other Colors	20	60

DESCRIPTION

Single component, polyurethane based, fast-curing, high modulus (HM) sealant and adhesive. Developed for sealing and bonding applications thanks to its high quality.



*The minimum order quantity of Sibax products is 1000 pieces.

SIBAX®

HYBRIDS HYBRID PRODUCT GROUP



Hybrid Stpu High-Tack Adhesive Sealant
Hybrid Stpu Crystal Adhesive Sealant
Hybrid Stpu Sealant

NS⁷⁸ HYBRID STPU HIGH-TACK ADHESIVE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
290 ml	White	12	216



DESCRIPTION

MS polymer-based professional adhesive with high adhesive strength and initial tack.

NS⁷⁹ HYBRID STPU CRYSTAL ADHESIVE SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
290 ml	Transparent	12	216



DESCRIPTION

Crystal clear adhesive, designed with advanced MS polymer technology (STP).

LS^{90S} HYBRID STPU SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
290 ml	White, Grey, Black	12	216
290 ml	*Other Colors	12	216



DESCRIPTION

MS polymer based, high-modulus sealant shore A 40 with high strength and elasticity, excellent adhesion for a variety materials.

LS^{91S} HYBRID STPU SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	White, Grey, Black	20	60
600 ml	*Other Colors	20	60



DESCRIPTION

MS polymer based, high-modulus sealant shore A 40 with high strength and elasticity, excellent adhesion for a variety materials.

*The minimum order quantity of Sibax products is 1000 pieces.

SIBAX®

SILICONIZED ACRYLIC SEALANTS

SILICONIZED & ACRYLIC
SEALANT PRODUCT GROUP



Super Flexi Siliconized Sealant
Performance Siliconized Sealant
Fire Resistant Sealant
Acrylic Sealant
Siliconized Sealant

SILICONIZED & ACRYLIC SEALANTS

1001^{End} SUPER FLEXI SILICONIZED SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	White	30	96
310 ml	Brown, Grey, Anthracite, Golden Oak	30	96
400 ml	White	24	72
400 ml	Brown, Grey, Anthracite, Golden Oak	24	72
600 ml	White	20	60



DESCRIPTION

Siliconized sealant with high polymer content providing superior adhesion and good elasticity properties. Can be used both for interior and exterior applications.

501^{End} PERFORMANCE SILICONIZED SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	White	30	96
310 ml	*Other Colors	30	96
400 ml	White	24	72
400 ml	*Other Colors	24	72



DESCRIPTION

Siliconized sealant with high polymer content providing superior adhesion and good elasticity properties. Can be used both for interior and exterior applications.

LS¹⁵ FIRE RESISTANT SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
310 ml	White, Black, Grey	24	120
600 ml	White, Black, Grey	20	60



DESCRIPTION

Single component acrylic emulsion based mastic that can provide fire resistance when used in construction joint applications. Reacts when exposed to fire, slowing down the heat transfer and creating a barrier against fire insulation. Is used to provide fire resistance in floors and walls, pipe or cable tray transitions or linear joints. Does not contain asbestos and halogen. Provides acoustic insulation.

LS³³ SILICONIZED SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
500 gr	White	30	96
500 gr	Brown, Grey, Black, Anthracite, Golden Oak	30	96



LS³⁴ SILICONIZED SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
600 ml	White	20	60

DESCRIPTION

Single component, acrylic dispersion based, general purpose sealant with increased movement capability and adhesion strength.

*The minimum order quantity of Sibax products is 1000 pieces.

LS³⁵ SILICONIZED SEALANT



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
400 ml	White	24	72
400 ml	*Other Colors	24	72
25 kg	White	-	27
25 kg	Brown, Grey, Black, Anthracite, Golden Oak	-	27

DESCRIPTION

Single component, acrylic dispersion based, general purpose sealant with increased movement capability and adhesion strength.

LS⁴⁴ ACRYLIC SEALANT



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
475 gr	White	30	96
475 gr	*Other Colors	30	96

LS²⁴ ACRYLIC SEALANT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
450 gr	White	30	96

DESCRIPTION

Single component, acrylic dispersion based, general purpose sealant that can be used indoors applications.

LS⁴⁶ SILICONIZED SEALANT



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
450 gr	White	30	96
450 gr	*Other Colors	30	96

DESCRIPTION

Single component, acrylic dispersion based, general purpose sealant with increased movement capability and adhesion strength.

LS⁵⁰ CLEAR SILICONIZED SEALANT



WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
280 ml	Transparent	30	96

DESCRIPTION

Single component, translucent when dried, highly elastic, easy to use, acrylic dispersion based sealant.

SIBAX®

ADHESIVES ADHESIVE PRODUCT GROUP



- Pu Marine Express Wood Adhesive - Transparent
- Pu Marine Wood Adhesive - Amber
- Acrylic Water Based Assembly Adhesive - Liquid Nail
- Pu Express Assembly Adhesive - Liquid Nail
- Chemical Anchor
- Fast Adhesive Mdf-Kit
- Super Glue



NS³³ PU MARINE EXPRESS WOOD ADHESIVE - TRANSPARENT

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 gr	24	36

DESCRIPTION

Fast curing, polyurethane based, low-viscosity, liquid transparent adhesive.



NS⁴⁴ PU MARINE WOOD ADHESIVE - AMBER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 gr	24	36

DESCRIPTION

Polyurethane based, water-proof, liquid adhesive with gap filling properties.



NS⁵⁸ ACRYLIC WATER BASED ASSEMBLY ADHESIVE - LIQUID NAIL

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
280 ml	12	216

DESCRIPTION

Express curing, acrylic dispersion based adhesive for bonding light construction elements.



NS⁶⁸ PU EXPRESS ASSEMBLY ADHESIVE-LIQUID NAIL (D4)

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
280 ml	12	216

DESCRIPTION

Express curing, polyurethane based adhesive in gel form. Resistant to water and humidity with high bond strength.

BS^{09/08/07} CHEMICAL ANCHOR

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
BS ⁰⁹ / 300 ml	20	75
BS ⁰⁸ / 345 ml	20	64
BS ⁰⁷ / 410 ml	20	60



DESCRIPTION

Polyester based adhesive mortar with short curing time and high bearing strength for many construction materials such as concrete, cavity blocks and perforated bricks for a variety of applications.

BS^{12/14} FAST ADHESIVE MDF-KIT

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
BS ¹² / 200 ml / 50 gr	24	99
BS ¹⁴ / 400 ml / 100 gr	24	54



DESCRIPTION

High viscosity, extremely fast curing cyanoacrylate adhesive with an aerosol activator.

BS^{12C/14C} SUPER GLUE

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
BS ^{12C} / 50 gr	50	40
BS ^{14C} / 100 gr	50	40




DESCRIPTION

Low viscosity gel type cyanoacrylate adhesive, convenient to use for vertical applications.

SIBAX®

SPRAY PAINTS

10 YEARS
SHELF LIFE



ACRYLIC SPRAY PAINT

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
400 ml	Solid Colors	12	160
400 ml	Metallic Colors	12	160
400 ml	Fluorescent Colors	12	160
400 ml	Efect Colors	12	160
250 ml	Solid Colors	30	96

WEIGHT/VOLUME	COLOR	QTY/BOX	BOXES/PALLET
400 ml	Solid Colors (Gross 300 gr)	12	160



DESCRIPTION

It is a solvent based paint with high strength, fast drying properties. Suitable for many surfaces such as wood, metal, plastic, glass and concrete. It can be used for correction and general repair in areas such as hobby, decoration, automotive and industry. It does not contain substances harmful to the ozone layer.

PRE-FILLED SPRAY CAN

WEIGHT/VOLUME	COLOR	BOXES/PALLET
400 ml	24	80

DESCRIPTION

For professional use. Contains propellant gas, specific dissolving agents. Final product is obtained when 100 gr of concentrated paint with desired properties is added. Offers a spraying feature that is similar to that of a paint spray gun, thanks to the aerosol valve system. Technical data must be complied with.

HEAT RESISTANT COLORS

WEIGHT/VOLUME	COLOR	BOXES/PALLET
400 ml	12	160

DESCRIPTION

Solvent based silicone aerosol paint resistant to high temperatures. Applied on such surfaces that may be exposed to high temperatures such as stoves, fireplaces etc. Does not require lining.



Rapid Seal SEALING SPRAY

WEIGHT/VOLUME	COLOR	BOXES/PALLET
400 ml	24	80

DESCRIPTION

A protective coating that can be used to fill and seal leaks and cracks. Creates a waterproof, flexible layer on metal, PVC, aluminum, walls, asphalt roofing materials, vinyl facade, fiberglass and similar materials. Has a high level of resistance to abrasion. Has a high level of elasticity. Has a high level of adhesion strength.

TEMPORARY MARKING PAINT

WEIGHT/VOLUME	COLOR	BOXES/PALLET
400 ml	12	160

DESCRIPTION

Fast-drying, high-coverage solvent - based, temporary marking paint. Ideal for use on concrete, wood, grass and asphalt surfaces. Can be easily cleaned with water. Shake the can vigorously for one minute before use. Apply to the surface from a distance of 10-20 cm. The drying time is 5 to 10 minutes.





INDUSTRIAL SPRAYS



SB¹⁰⁰⁰ BRAKE & PARTS CLEANER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 ml	24	80

E-100 ENERJİ BRAKE & PARTS CLEANER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 ml (Gross 350 gr)	24	80

DESCRIPTION

Used to clean breaks, brake pads, drums, gearbox and diferential gear parts. Easily removes hydraulic brake fluids, grease and oil, increase the performance and prevent squeaks thanks to its special formulation. Volatile, leaving no residuals on the surface.



SB²⁰⁰⁰ PENETRATING OIL MoS²

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
200 ml	36	90
400 ml	24	80

DESCRIPTION

Applicable on all of the metal surfaces stuck due to rust caused by water and moisture. The main areas of usage are nuts, hand tools, land and marine hunting materials, parts of bicycles, motorcycles, door and cabinet hinges, and all other similar metal parts that get stuck. After it helps loosen the rust, then it retards rusting by means of forming a thin film layer in the subsequent stages of the application.



SB³⁰⁰⁰ LIQUID GREASE & LUBRICATING SPRAY

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
500 ml	24	80

DESCRIPTION

It is a multi-purpose lubricating spray. Special oils and additives in it's composition that penetrate fast and adhere to the surface. It delays or helps to prevent malfunctions by increasing the frictional resistance of moving parts. Thanks to the oily surface it leaves behind, it provides cost savings by extending maintenance intervals. It is water repellent and does not contain silicone. It can also be applied 360 degrees.



SB⁴⁰⁰⁰ MULTI SPRAY

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
200 ml Standard Actuator	36	90
400 ml Standard Actuator	24	80
400 ml Cobra Actuator	24	80

DESCRIPTION

High-quality, multi-purpose spray; cleans, lubricates, protects, stop squeaks. Loosens rusted parts. Frees sticky mechanisms. Drives out moisture. Used as an excellent water repellent in places where water and humidity are not desired. Protects against corrosion. It can operate 360° with it's special valve system.





SB⁵⁰⁰⁰ UNDERBODY SPRAY (ANTI - GRAVILLION PAINT)

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
1000 ml	12	64

DESCRIPTION

Sibax Rough Paint is a strong, durable, impact protective product with its synthetic rubber and plastic. It forms a strong flexible film against stone impacts in the underfloor parts of vehicles. Forms a protective layer against corrosion. Can be repainted. Provides good sound insulation.



SB⁵⁰⁰⁰ UNDERBODY SPRAY (ANTI - GRAVILLION PAINT)

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	80

DESCRIPTION

Sibax Rough Spray is a strong, durable, impact protective product with its synthetic rubber and plastic. It forms a strong flexible film against stone impacts in the underfloor parts of vehicles. Forms a protective layer against corrosion. Can be repainted. Provides good sound insulation.



SB⁶⁰⁰⁰ MOLD RELEASE SPRAY - SILICONE

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	70

DESCRIPTION

Spray with a silicone-containing formula that effectively separates rubber parts from molds. It is used as a cleaner and mold release agent in textile, plastic, and rubber industries. Suitable for use on all molds. Does not leave stains on the surface where it is applied.



SB⁶⁰⁰⁰ MOLD RELEASE SPRAY - SILICONE - FREE

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	70

DESCRIPTION

Spray with a silicone-free formula that effectively separates rubber and plastic parts from molds. Since it is silicone-free, it leaves no oily residue and allows the products to be painted and labeled without issues.

SB⁷⁰⁰⁰ WELDING SPRAY - SILICONE

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	80

DESCRIPTION

With silicone containing special formulation, this spray prevents weld spatters from sticking to the nozzle and workpiece during the welding process. It extends the nozzle life of tools and welding units.



SB⁷⁰⁰⁰ WELDING SPRAY - SILICONE - FREE

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	80

DESCRIPTION

A silicone-free, eco-friendly spray that prevents weld spatters from sticking to the nozzle and workpiece during the welding process. It extends the nozzle life of tools and welding units. Thanks to its special formula, it can also be used on surfaces that will be painted after welding.



SB⁸⁰⁰⁰ PAINT REMOVER

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	80

DESCRIPTION

With solvent based formulation and including chemical of increasing the surface tension, enabling effective adhesion to surfaces for easy paint removal. It provides a fast and efficient solution.



SB⁹⁰⁰⁰ TIRE REPAIR KIT

WEIGHT/VOLUME	QTY/BOX	BOXES/PALLET
400 ml	24	80

DESCRIPTION

A product that can be used to instantly inflate and repair punctured tires without removing them. Suitable for use with all passenger cars, motorcycles, bicycles, and light commercial vehicles. Practical and fast. Not to be used for extensive tears.







SOLID COLORS

 9010 Gloss White	 6002 Leaf Green
 9010 Matte White	 6005 Moss Green
 9016 Traffic White	 6016 Turquoise Green
 301 White	 6018 Yellow Green
 1013 Oyster White	 7001 Silver Grey
 1015 Ivory	 7015 Slate Grey
 1023 Traffic Yellow	 7016 Anthracite Grey
 1018 Zinc Yellow	 7016 Matte Anthracite Grey
 1003 Signal Yellow	 7035 Light Grey
 2002 Vermillion	 7040 Window Grey
 2004 Orange	 8003 Clay Brown
 3002 Carmine Red	 7032 Pebble Gray
 3000 Flame Red	 8016 Mahogany Brown
 3020 Traffic Red	 3005 Vine Red
 4003 Heather Violet	 9005 Matte Black
 4005 Blue Lilac	 9005 Gloss Black
 5002 Ultramarine Blue	 9006 M. Aluminium Grey
 5010 Gentian Blue	 9005 Semi-Matte Black
 5012 Light Blue	 3009 Oxide Red
 5015 Sky Blue	 7046 Telegray
 5017 Traffic Blue	 6001 Emerald Green
 5018 Turquoise Blue	 Matte / Gloss Varnish






FLUORESCENT COLORS

 Fluorescent Yellow
 Fluorescent Red
 Fluorescent Dark Red
 Fluorescent Orange
 Fluorescent Green
 Fluorescent Blue





EFFECT COLORS

 Gold Effect
 Aluminium Effect
 Silver Effect
 Inox Effect
 Chrome Effect
 Zinc Effect

HEAT RESISTANT COLORS

 Heat Resistant Aluminium
 Heat Resistant Black
 Heat Resistant White
 Heat Resistant Red
 Heat Resistant Transparent

METALLIC COLORS

 Metallic Blue
 Metallic Grey
 Metallic Black
 Metallic Rim Silver

*These colors may differ from original colors.
Please ask us for detailed information.



250 ml and 300 gr spray paint colors.

A series of horizontal dashed lines for writing notes.



www.sibakimya.com.tr

SİBA

KİMYA VE ENDÜSTRİYEL ÜRÜNLER SAN. TİC. A.Ş.

Esentepe Mah. Milangaz Cad. No:75/A Kat:8
Monumento Plaza 34870 Kartal / İSTANBUL
Tel.: +90 216 504 58 58 Fax: +90 216 504 58 59



SİBA IS A MEMBER OF LIDARS GROUP.